

感染症発生動向調査におけるインフルエンザの流行状況（定点当たり患者数推移）

【警報開始基準値 30 注意報開始基準値、警報終息基準値 10 流行開始の目安 1】

週/年	H13-14	H14-15	H15-16	H16-17	H17-18	H18-19	H19-20	H20-21	H21-22	H22-23	H23-24	H24-25	H25-26	H26-27	H27-28	H28-29	H29-30	H30-31	R1-R2	R2-R3	R3-R4	R4-R5	R5-R6	R6-R7	R7-R8	
36		0.01	0.00	0.00	0.00	0.00	0.05	0.00	1.18	0.09	0.01	0.05	0.01	0.01	0.01	0.02	0.08	0.10	0.65	0.00	0.00	0.00	0.00	4.79	0.34	0.22
37		0.00	0.00	0.00	0.00	0.00	0.17	0.00	0.91	0.12	0.00	0.02	0.00	0.01	0.04	0.09	0.09	0.10	0.40	0.00	0.00	0.01	7.98	0.15	0.36	
38		0.00	0.00	0.00	0.00	0.00	0.09	0.01	1.08	0.06	0.04	0.03	0.09	0.02	0.01	0.14	0.09	0.01	0.14	0.00	0.00	0.01	7.19	0.25	0.46	
39		0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.93	0.01	0.01	0.06	0.07	0.06	0.01	0.17	0.14	0.04	0.32	0.00	0.00	0.01	9.60	0.34	0.47	
40		0.00	0.00	0.06	0.00	0.00	0.12	0.00	1.99	0.10	0.00	0.02	0.06	0.04	0.02	0.12	0.19	0.09	0.43	0.00	0.01	0.01	10.08	0.89	0.62	
41		0.00	0.00	0.08	0.00	0.00	0.12	0.01	5.19	0.15	0.02	0.03	0.03	0.02	0.14	0.12	0.22	0.09	0.45	0.00	0.01	0.01	13.68	0.86	0.99	
42		0.00	0.00	0.00	0.00	0.00	0.17	0.02	8.97	0.13	0.02	0.03	0.12	0.04	0.10	0.20	0.11	0.16	0.32	0.01	0.00	0.01	20.38	1.06	4.23	
43		0.00	0.00	0.00	0.01	0.00	0.33	0.00	13.00	0.14	0.02	0.04	0.30	0.05	0.09	0.25	0.38	0.20	0.58	0.00	0.00	0.00	22.64	1.56	5.25	
44		0.00	0.00	0.00	0.01	0.00	0.28	0.01	16.64	0.09	0.04	0.09	0.09	0.07	0.24	0.27	0.65	0.13	1.15	0.01	0.01	0.00	23.30	2.09	10.40	
45		0.01	0.00	0.00	0.01	0.00	0.37	0.04	17.83	0.15	0.05	0.11	0.17	0.19	0.35	0.47	0.48	0.12	1.11	0.00	0.00	0.03	18.12	1.29	14.65	
46		0.00	0.00	0.00	0.00	0.01	0.65	0.06	24.92	0.20	0.08	0.17	0.12	0.14	0.39	0.86	0.72	0.23	1.14	0.01	0.00	0.03	21.98	1.69	27.76	
47		0.07	0.01	0.02	0.01	0.06	0.82	0.07	33.13	0.18	0.09	0.29	0.22	0.65	0.29	1.45	1.65	0.40	1.63	0.01	0.01	0.04	30.96	1.67	41.26	
48		0.13	0.02	0.03	0.01	0.04	1.91	0.12	37.74	0.26	0.10	0.40	0.30	1.43	0.14	1.96	2.38	0.47	2.83	0.00	0.01	0.12	26.83	2.26	40.17	
49		0.27	0.03	0.07	0.07	0.07	4.32	0.36	34.26	0.51	0.09	0.45	0.38	1.63	0.12	2.38	3.63	0.66	4.68	0.01	0.01	0.25	33.09	4.44	39.29	
50		0.58	0.11	0.15	0.32	0.07	7.62	0.69	34.23	0.59	0.29	1.12	0.62	3.55	0.16	4.37	7.38	1.41	9.28	0.02	0.00	0.40	29.08	11.47	40.99	
51		1.51	0.20	0.11	1.02	0.08	10.27	1.24	28.15	0.79	0.70	1.77	1.78	9.17	0.25	6.82	13.99	5.45	13.58	0.01	0.00	1.00	20.37	38.14	35.61	
52		2.53	0.54	0.31	2.07	0.04	8.36	2.01	31.88	1.32	1.20	2.09	2.12	17.68	0.26	7.24	22.43	9.23	17.55	0.01	0.00	1.40	20.00	68.30	23.47	
53				0.27					15.53						0.46					0.00						
1	0.42	3.24	0.65	0.79	6.77	0.09	4.35	2.97	15.94	4.80	2.67	3.32	1.81	16.30	1.71	12.32	22.58	17.66	10.07	0.00	0.02	3.19	11.59	36.31	6.94	
2	1.31	17.80	4.07	1.64	22.51	0.44	10.43	10.91	15.67	13.80	8.16	11.87	7.27	44.83	3.20	18.26	39.76	52.22	20.72	0.00	0.02	4.62	13.84	47.73	11.55	
3	2.31	36.34	13.27	5.05	42.66	0.96	15.96	19.75	16.74	29.75	32.40	20.12	13.59	50.80	9.09	33.20	67.92	69.42	21.43	0.00	0.04	4.56	15.02	24.23	12.02	
4	7.51	60.26	33.76	13.21	46.09	2.74	25.55	39.91	11.80	30.09	47.02	35.10	25.77	45.15	19.50	47.40	52.38	55.73	22.27	0.01	0.00	3.01	14.19	13.24	22.73	
5	14.75	58.72	46.38	23.98	39.89	4.45	27.94	41.88	7.06	30.57	49.35	37.92	32.22	26.18	34.29	40.58	48.06	38.32	15.59	0.00	0.01	3.35	14.45	6.86	43.29	
6	24.65	49.28	34.58	42.48	28.55	9.09	19.57	28.78	4.56	20.67	44.07	31.68	27.96	15.87	41.10	28.66	37.86	23.29	9.52	0.00	0.00	4.24	13.84	4.86		
7	20.70	37.27	23.69	50.07	20.61	9.16	10.53	18.13	2.75	14.18	33.77	19.32	24.65	9.74	41.85	22.50	25.01	9.50	7.01	0.01	0.00	3.23	12.96	2.97		
8	24.88	23.65	13.06	53.78	12.01	13.58	8.87	13.59	1.92	11.34	25.41	17.45	23.14	6.96	36.85	16.24	21.01	7.04	3.77	0.01	0.00	3.01	9.40	2.27		
9	17.25	18.15	6.61	51.82	7.58	16.39	6.34	18.51	0.87	11.23	18.57	17.45	24.96	4.01	37.73	10.94	17.05	4.02	2.21	0.01	0.00	4.16	8.47	2.07		
10	11.72	11.18	4.01	45.64	5.66	17.94	5.66	22.85	0.61	13.04	16.69	15.32	19.34	2.87	32.70	8.49	12.45	2.24	1.40	0.01	0.01	5.96	11.96	1.97		
11	8.24	8.89	2.96	28.90	3.28	19.70	4.60	25.14	0.28	15.88	14.21	13.19	21.50	2.91	21.24	9.21	7.59	1.29	0.45	0.00	0.01	4.59	16.40	2.57		
12	4.61	5.35	1.61	15.95	1.93	19.98	2.42	20.42	0.15	10.47	12.11	9.55	20.00	3.20	12.03	6.29	3.45	1.14	0.16	0.01	0.00	3.39	15.54	1.68		
13	2.33	2.26	0.61	9.44	0.97	13.06	1.11	10.72	0.06	6.26	7.99	5.12	13.21	1.96	7.60	5.61	1.76	0.96	0.04	0.00	0.00	2.28	12.15	1.42		
14	1.54	1.10	0.38	4.95	0.64	6.34	0.62	5.09	0.07	4.69	6.47	3.39	6.64	2.09	4.81	4.00	0.94	1.06	0.05	0.00	0.00	1.33	5.99	0.80		
15	0.71	0.36	0.27	2.68	0.95	6.33	0.39	3.61	0.09	5.15	6.15	2.23	4.04	1.18	3.43	2.88	0.76	1.45	0.02	0.00	0.00	2.16	2.94	0.57		
16	0.53	0.14	0.18	1.50	0.66	5.04	0.51	2.80	0.07	7.78	7.47	3.76	4.87	2.17	2.47	3.47	1.14	2.93	0.00	0.00	0.00	2.56	2.40	0.58		
17	0.35	0.04	0.07	0.48	0.66	4.11	0.44	1.98	0.04	5.74	4.68	2.63	3.29	1.76	1.28	2.55	0.66	1.83	0.01	0.00	0.00	2.12	1.07	0.35		
18	0.20	0.04	0.08	0.23	0.31	1.71	0.13	1.81	0.04	2.27	1.96	1.47	1.53	0.98	0.47	1.43	0.20	0.62	0.01	0.00	0.00	1.56	0.38	0.24		
19	0.15	0.01	0.01	0.04	0.02	1.20	0.11	0.95	0.03	1.26	1.33	1.40	0.72	0.53	0.41	1.55	0.28	0.45	0.00	0.00	0.00	0.93	0.31	0.27		
20	0.12	0.00	0.01	0.04	0.01	0.58	0.15	0.69	0.04	1.04	0.77	1.58	0.47	0.40	0.27	1.09	0.13	0.59	0.01	0.00	0.00	1.74	0.39	0.50		
21	0.05	0.00	0.00	0.01	0.03	0.48	0.04	0.60	0.01	0.42	0.59	1.03	0.39	0.40	0.17	0.50	0.07	0.43	0.01	0.00	0.00	1.81	0.56	0.28		
22	0.06	0.00	0.00	0.00	0.00	0.34	0.01	0.28	0.03	0.24	0.46	0.54	0.24	0.24	0.12	0.31	0.01	0.24	0.02	0.00	0.00	2.22	0.28	0.17		
23	0.00	0.00	0.00	0.00	0.00	0.28	0.01	0.12	0.01	0.13	0.19	0.35	0.19	0.04	0.06	0.39	0.08	0.19	0.00	0.00	0.00	1.36	0.21	0.21		
24	0.00	0.00	0.00	0.00	0.00	0.12	0.00	0.06	0.00	0.09	0.26	0.27	0.06	0.05	0.01	0.04	0.01	0.23	0.00	0.00	0.00	1.13	0.10	0.07		
25	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.08	0.01	0.05	0.15	0.18	0.04	0.07	0.01	0.04	0.01	0.19	0.00	0.00	0.00	0.79	0.11	0.14		
26	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.08	0.01	0.01	0.04	0.05	0.01	0.08	0.01	0.06	0.01	0.07	0.00	0.00	0.00	0.54	0.18	0.18		
27	0.00	0.00	0.00	0.03	0.00	0.01	0.01	0.12	0.04	0.00	0.02	0.06	0.01	0.06	0.01	0.03	0.01	0.04	0.00	0.00	0.00	0.63	0.12	0.25		
28	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.13	0.06	0.01	0.01	0.03	0.01	0.01	0.01	0.26	0.00	0.18	0.00	0.00	0.00	1.11	0.17	0.14		
29	0.00	0.00	0.00	0.00	0.00	0.03	0.01	0.19	0.00	0.00	0.03	0.01	0.04	0.01	0.02	0.20	0.01	0.05	0.00	0.00	0.00	0.90	0.11	0.13		
30	0.00	0.00	0.00	0.00	0.01	0.01	0.02	0.23	0.01	0.00	0.01	0.00	0.01	0.00	0.00	0.09	0.04	0.03	0.00	0.00	0.02	1.00	0.53	0.17		
31	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.23	0.03	0.01	0.00	0.00	0.01	0.00	0.04	0.10	0.04	0.06	0.00	0.00	0.00	0.94	0.17	0.14		
32	0.00	0.00	0.00	0.00	0.02	0.01	0.00	0.27	0.07	0.01	0.02	0.01	0.01	0.00	0.09	0.06	0.03	0.13	0.00	0.00	0.00	0.47	0.16	0.13		
33	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.81	0.00	0.00	0.01	0.00	0.00	0.01	0.04	0.09	0.06	0.07	0.00	0.00	0.00	0.96	0.15	0.13		
34	0.0																									